1. Identification Product Identifiner Other means of identification	:	Nitrogen Nitrogen, Nitrogen gas, N2, UN 1066
Product use Supplier	:	Synthetic, Analytical chemistry Leland Limited, Inc. 2614 South Clinton Ave. South Plainfield, NJ 07080 1-908-561-2000 (8-4 EST)
Emergency calls		
Hazmat Service Inc.	:	1-800-373-7542 (Domestic)
Contract #1264	:	1-484-951-2432 (International)
2. Hazards Identification		
OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200).
Classification of the substance or mixture GHS label elements	:	Gases under pressure – Compressed gas Simple asphyxiant
Hazard pictograms	:	\Diamond
Signal word	:	Warning
Hazards statements		Contains das under pressure: may explode if heated

		•
Signal word Hazards statements	:	Warning Contains gas under pressure; may explode if heated May displace oxygen and cause rapid suffocation May increase respiration and heart rate
Precautionary statements		
General	:	Read and follow all Safety Data Sheets (SDS'S) before use. Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. Close valve after each use and when empty. Use equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use a back flow preventative device in the piping. Use only equipment of compatible materials of construction. Always keep container in upright position.
Prevention	:	Use and store outdoors or in a well ventilated place.
Response	:	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Storage	:	Protect from sunlight. Protect from sunlight when ambient temperature exceeds 40C/104F. Store in a well-ventilated place.
Disposal	:	Dispose in accordance with all applicable regulations.
Hazards not otherwise classified	:	In addition to any other important health or physical hazards, this product may displace oxygen and cause rapid suffocation.

3. Composition, Information on Ingredients

Substance/Mixture	: Sı	ubstance
Chemical Name	: Ni	trogen
Synonyms	: Ni	trogen, Nitrogen gas, N2, UN 1066
CAS Number	: 77	/27-37-9
Content (vo%)	: 99	9.5 % or more

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

4. First Aid Measures

Description of necessary first aid measures

Inhalation :	Remove exposed person to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular, or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin Contact :	Nitrogen is harmless at atmospheric pressure. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash
	clothing before reuse. Clean shoes thoroughly before reuse.
Eye Contact :	Nitrogen is harmless at atmospheric pressure. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Ingestion :	Since this product is a gas, refer to the inhalation section.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Inhalation	:	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Skin Contact	:	Contact with rapidly expanding gas may cause burns or frostbite.
Eye Contact	:	Contact with rapidly expanding gas may cause burns or frostbite.
Frostbite	:	Try to warm up the frozen tissues and seek medical attention.
Ingestion	:	As this product is a gas, refer to the inhalation section.
Over-exposure signs/sy	mptoms	No sposific data

Inhalation	:	No specific data.
Skin Contact	:	No specific data.
Eye Contact	:	No specific data.
Ingestion	:	No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	Treat symptomatically. Conta large quantities have been in	act poison treatment specialist immediately if gested or inhaled.
Specific treatments	No specific treatment.	
Protection of first-aiders		lving any personal risk or without suitable s to the person providing aid to give n.

5. Fire Fighting Measures

Extinguishing media		
Suitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	None known.
Specific hazards arising from the chemical	:	Contains gas under pressure. In a fire or if heated, a pressure increase will occur and the container may burst or explode.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: Nitrogen oxides
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Contact supplier immediately for specialist advice. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters		Fire-fighters should wear appropriate equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

For non-emergency	:	No action shall be taken involving any personal risk or without suitable
personnel		training. Evacuate surrounding areas. Keep unnecessary and
		unprotected personnel from entering. Avoid breathing gas. Provide
		adequate ventilation. Wear appropriate respirator when ventilation is
		inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any
		information in Section 8 on suitable and unsuitable materials. See also
		the information in "For non-emergency personnel".
Environmental precautions	:	Ensure emergency procedures to deal with accidental gas releases are in
		place to avoid contamination of the environment. Inform the relevant
		authorities if the product has caused environmental pollution (sewers,
		waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill	: Immediately contact emergency personnel. Stop leak if without risk.
ernan opm	
Large spill	: Immediately contact emergency personnel. Stop leak if without risk. Note:
Earge opin	
see Section 1 for emergency contact information and Section 13 for	



waste disposal.

7. Handling and Storage

Precautions for safe handling	
Protective measures :	 Put on appropriate personal protective equipment (see Section 8). Contains gas under pressure. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Empty containers retain product residue and can be hazardous. Do not puncture or incinerate container. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop. Use a suitable hand truck for cylinder movement.
Advice on general : occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, : including any incompatibilities	Store in accordance with local regulations. Store in a segregated and approved area. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed and sealed until ready for use. Cylinders should be stored upright, with valve protection cap in place, and firmly secured to prevent falling or being knocked over. Cylinder temperatures should not exceed 40C (104F).

8. Exposure Controls and Personal Protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Nitrogen	Oxygen Depletion [Asphyxiant]

Appropriate engineering : controls Environmental exposure : control	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures :	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking, using the lavatory and at the end of your shift. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

LELAND	Safety Data Sheet	Leland Limited Inc. Product: Nitrogen Revised on:Jan 29,2021
Eye/Face protection	Safety eyewear complying with an approve when a risk assessment indicates this is nee liquid splashes, mists, gases or dusts. If con protection should be worn, unless the ass degree of protection: safety glasses with side	cessary to avoid exposure to tact is possible, the following sessment indicates a higher
Skin protection		
Hand protection	Chemical-resistant, impervious gloves complestandard should be worn at all times when har risk assessment indicates this is necessary. Of specified by the glove manufacturer, check d still retaining their protective properties. It should breakthrough for any glove material may be of manufacturers. In the case of mixtures, considered and the statement of the	andling chemical products if a Considering the parameters uring use that the gloves are build be noted that the time to different for different glove

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

the protection time of the gloves cannot be accurately estimated.

- Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- : Use a properly fitted, air-purifying or air-fed respirator complying with an Respiratory protection approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

9. Physical and Chemical Properties

Appearance	
Physical state :	Gas [Compressed gas]
Color :	Colorless
Molecular weight :	28.02 g/mol
Molecular formula :	N ₂
Boiling/condensation point	-196C (-320.8F)
Melting/freezing point :	-210.01C (-346F)
Critical temperature :	-146.95C (-232.5F)
Odor :	Odorless
Odor threshold :	Not available.
pH :	Not available.
Flash point :	[Product does not sustain combustion.]
Burning time :	Not applicable.
Burning rate :	Not applicable.
Evaporation rate :	Not available.
Flammability (solid, gas) :	Not available.
Lower and upper explosive :	Not available.
(flammable) limits	



Vapor pressure Vapor density Specific Volume Gas Density Relative density Solubility Solubility in Water Partition coefficient:	::	Not available 0.967 (Air = 1), Liquid Density@BP: 50.46 lb/ft ³ (808.3 kg/m ³) 13.8889 ft ³ /lb 0.072 lb/ft ³ Not applicable. Not available. Not available. 0.67
n-octanol/water Auto-ignition temperature Decomposition temperature SADT Viscosity	: :	Not available. Not available. Not available. Not applicable.

10. Stability and Reactivity

i or orability and recavering	J
Reactivity	: No specific test data related to reactivity is available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hazardous polymerization	: Under normal conditions of storage and use, hazardous polymerization will not occur.

11. Toxicological Information

Information on toxicological effects

6		
Acute toxicity	:	Not available.
Irritation / Corrosion	:	Not available.
Sensitization	:	Not available.
Mutagenicity	:	Not available.
Carcinogenicity	:	Not available.
Reproductive toxicity	:	Not available.
Teratogenicity	:	Not available.
Specific target organ toxicity	:	Not available.
(single exposure)		
Specific target organ toxicity	:	Not available.
(repeated exposure)		
Aspiration hazard	:	Not available.
Information on the likely	:	Not available.
routes of exposure		

Potential acute health effectsEye contact:Inhalation:Skin contact:Ingestion:	Contact with rapidly expanding gas may cause burns or frostbite. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure. Contact with rapidly expanding gas may cause burns or frostbite. Since this product is a gas, refer to the inhalation section.
Symptoms related to the physica Eye contact : Inhalation : Skin contact : ingestion :	l, chemical and toxicological characteristics No specific data. No specific data. No specific data. No specific data.
Delayed and immediate effects a Short term exposure Potential immediate effects : Potential delayed effects :	nd also chronic effects from short and long term exposure Not available. Not available.
Long term exposure Potential immediate effects : Potential delayed effects :	Not available. Not available.
Potential chronic health effects – General:General:Carcinogenicity:Mutagenicity:Teratogenicity:Developmental effectsFertility effects	Not available. No known significant effects or critical hazards. No known significant effects or critical hazards.
Numerical measures of toxicity Acute toxicity estimates :	Not available.
12. Ecological Information Toxicity:Persistence and:degradability	Not available. Not available.

Bioaccumulative potential

Product/Ingredient name	Log Pow	BCF	Potential
Nitrogen	0.67	-	low

Mobility is soil	
Soil/Water partition	: Not available.
coefficient (Koc)	
Other adverse effects	: No known significant effects or critical hazards.

13. Disposal Considerations

Discharge of Nitrogen	15	Gradually release in open air.
Disposal of Cylinders	:	If gas remains in cylinders, release gas with proper equipment and dispose of cylinders as incombustible waste. For empty cylinders, check for a puncture hole and dispose of as incombustible waste. Do not dispose of cylinders without first checking that all gas has been released.
14. Transport Information		
DOT / IMDG	:	Nitrogen, Compressed
Shipping Name		
UN Number	:	UN 1066
Hazard Class (Division)	:	2 (2.2)
Placard (When required)	:	Nonflammable gas
		NON-FLAMMABLE GAS
Special Shipping Information	:	See CFR 49, 172.101, 173.306 for exceptions of labeling.
IMDG / IMO Proper Shipping Name	:	Receptacles, small containing gas (Gas Cartridge $<$ 50ml)
UN Number	:	UN 2037

UN Number	:	UN 2037
Hazard Class (Division)	:	2 (2.2)
Special Provision	:	See Code 191
ΙΑΤΑ	:	Receptacles, small containing gas
Proper Shipping Name		
UN Number	:	UN 2037
Hazard Class (Division)	:	2 (2.2)
Special Provision	:	See Code A98

15. Regulatory Information

The following selected regulatory requirements may apply to this product. Not all such requirements are identified. Users of this product are solely responsible for compliance with all applicable federal, state, and local regulations.

302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372			
SARA 311/312 : Fire hazard : No			
Hazardous Categories Sudden release of pressure : Yes			
Reactive : No			
Immediate (acute) health hazard : No			
Delayed (chronic) health hazard : No			



State Regulations		: Massachusetts	: This material is listed.	
		New York	: This material is not listed.	
		New Jersey	: This material is listed.	
		Pennsylvania	: This material is listed.	
		California	: This material is not listed.	
International Regulations		: Canada inventory	This material is listed or exempted.	
		Australia inventory (AICS)	This material is listed or exempted.	
		China inventory (IECSC)	This material is listed or exempted.	
		Japan inventory	Not determined.	
		Korea inventory	This material is listed or exempted.	
		Malaysia inventory	Not determined.	
		(EHS Register)		
		New Zealand inventory of	This material is listed or exempted.	
		Chemicals (NZIoC)		
		Philippines inventory	This material is listed or exempted.	
		(PICCS)		
		Taiwan inventory (CSNN)	Not determined.	
16. Other Information				
Hazard Rating Systems		: NFPA Ratings	HMIS Ratings	
		Health = 0	Health = 0	
		Flammability = 0	Flammability = 0	
		Reactivity $= 0$	Physical hazards = 0	
		Special = SA		
Key to abbreviations				
ACGIH	:	American Conference of Governmental Industrial Hygienists		
BCF	:	Bioconcentration Factor		
CAS	:	Chemical Abstract Services		
CERCLA	:	Comprehensive Environmental Response, Compensation, and Liability Act		
CFR	:	United States Code of Federal Regulations		
DOT	:	Department of Transportation		
GHS	:	Globally Harmonized System of Classification and Labeling of Chemicals		
ΙΑΤΑ	:	International Air Transport Association		
IMDG	:	International Maritime Dangerous Goods		
IMO	:	International Maritime Organization		
Log Pow	:	Logarithm of the octanol/water partition coefficient		
NIOSH	:	National Institute for Occupational Safety and Health		
OSHA	:	Occupational Safety and Health Administration		
STEL	:	Short-term Exposure Limit		
SARA	:	Superfund Amendments and Reauthorization Act		
TLV	:	Threshold Limit Value		
TSCA	:	Toxic Substances Control Act		
TWA	:	Time Weighted Average		
		5 0		

Notice to reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee they are the only hazards that exist.

elar